

- traction. *Anal. Biochem.* 1987; **162**: 156-159.
6. Herrin, D.L., Schmidt, G.W. Rapid, reversible staining of Northern blots prior to hybridization. *Biotechniques* 1988; **6**: 196-198.
 7. Sambrook, J., Fritsch, E.F., Maniatis, T. Molecular cloning — a laboratory manual; 2nd ed.; Cold Spring Harbor Laboratory Press: Cold Spring Harbor, NY. 1989.
 8. Cohen, G. "Oxygen radicals and Parkinson disease" in *Oxygen radicals and tissue injury*; Halliwell, B., Ed.; FASEB: Bethesda, MD. 1988; pp 130-135.
 9. Zaleska, M.M., Floyd, R.A. Regional lipid peroxidation in rat brain in vitro. Possible role of endogenous iron. *Neurochem. Res.* 1985; **10**: 397-410.
 10. Huang, W.P., Chan, P., Chen, Y.J., Chen, C.M., Liao, S.S., Chin, W.T., Cheng, J.T. Changes of superoxide dismutase in cultured rat aortic smooth muscle cells (A7r5) by an incubation of vitamin E. *Pharmacology* 1999; **59**: 275-282.
 11. Chow, J.M., Liu, J.C., Chen, Y.J., Hsieh, M.H., Chan, P. Effect of vitamin E on superoxide dismutase gene expression in cultured rat astrocytes differs from that on pheochromocytoma cells. *New Taipei J. Med.* 1999; **3**: 146-152.
 12. Chan, P., Cheng, J.T., Tsao, C.W., Niu, C.S., Hong, C.T. The in vitro antioxidant activity of trilinolein and other lipid-related natural substances as measured by enhanced chemiluminescence. *Life Sci.* 1996; **59**: 2067-2073.