## 私立臺北醫學院八十九學年度第一學期期中考試命題紙

系	級	科	且	授課教師	考	试	E	期	学	魏 姓	名
隐	<b>—</b> .	神教预多		游板	年_	月	日第_	ــ	•		
<b>※</b> (	訂請	注意本試題共_2 張試題卷務必填寫(	<b>元</b> 60 0-8	。如發現頁數不)、(姓名)。	足及空	白頁或缺陷	门,應當	場請习	補鞭	否則缺少部份概以零分計。	

(20%) 1. Determine the length of the curve given by the graph of  $y = \sqrt{(b)} = \sqrt{3}$ between  $a = \frac{5}{9}$  and  $b = \frac{21}{9}$  and partition size n=8.

- (20%) 2. Suppose that a quantity X is normally distributed with mean 3 and standard deviation 2. Find the fraction of the population that falls into the intervals: 10%(1)P(X=[2,5]) 5%(2)P(X<2) 5%(3) P(X>5)
- (20%) 3. A screening test for a disease show a positive test result in 90% of all cases when the disease is actually present and in 15% of all cases when it is not. Assume that the prevalence of the disease is 1 in 100. If the test is administered to a randomly chosen individual, what is the probability that the result if negative?
- (20%) 4. Assume a 1:1 sex ratio. A woman who is a carrier of hemophilia has four children with a man who is not hemophilic. What is the probability that she has one daughter who is not a carrier, one daughter who is a carrier, one son who is, and one son who is not hemophilic?
- (20%) 5. A class of 28 people collected the following data, which represents their heights x and arm spans y (rounded to nearest inch).

  (60,61),(65,65),(68,67), (72,73), (61,62), (63,63), (70,71), (75,74), (71,72), (62,60), (65,65), (66,68), (62,62), (72,73), (70,70), (69,68), (69,70), (60,61), (63,63), (64,64), (71,71), (68,67), (69,70), (70,72), (65,65), (64,63), (71,70), (67,67)

Find a linear model to represent these data and estimate the error.