ƒ ‹ F | Œfia‹ ·'e›ß• |–M^D‹ ª¤s›p e ƒ¤"G†ŁSi

›p e^ S¡G S0«‹ ›p e

›p e‰ ₰„¡GNSC92–2731–M–038–001–

ɹf · ¶¡¡G92 ƒ~01 ⁄ °01 ⁄ Ø 92 ƒ~12 ⁄ °31 ⁄Ø

ɹf † ƒ ¡G» O ¥´ ·⁄j ·

›p e¥ D ø⁄₧G¶ ¤»°

›p e »P⁄H›ß¡G⁄ Œ…z

†ŁSi^ «‹¡G" °††ŁSi

† B † ƶŁ₧G¥»›p e¥ i ⁄ ‰ ¶‹ d,

⁄⁄ ¥` Œ 93 ƒ~3 ⁄ °29 ⁄Ø

ƒ ‹F │ Œfia‹ ·'e›ß•│–M^D‹ ª¤s›p ef¤"G‡ŁSi

»O¥_´ ·/j ·¶Q›«» „ƒ@ƒP¤˜¥¸›p„"

/E/Q/Gƒ~« /uS@‡ŁSi

›p e‰s„„¡GNSC91-2731-P038-001
ɪf ·`¶¡¡G92 ƒ~1 /°1 /Øf 92 ƒ~12 /°31 /Ø

›p e ¥D «ø /H ¡G ¶ »¤»° ¥D¥

ɪ ƒ ‡ ƒ ¡G¥x ¥_´ ·/j ·
// ¥` Œ/E/Q/T ƒ~ /T /°

¥ ¿

⁄@¡B†⁄›z¥»ƒ~« ⁄uS@⁄″fie⁄ ¸›«´I

⁄G¡B» „„BS@"‹"p⁄ ¸"A ¨ƒ¤"G

⁄T¡B92 ƒ~« » „"A ¨'œ† "

¥|¡B92 ƒ~« "A ¨¥ ...˘¡Bfi ...˘⁄ ¸¶O¥ ¸† ¸›p„˘

⁄ ›¡B89 ƒ~« ƒ 92 ƒ~« "A ¨¥ ...˘† ¸›p„˘

⁄»¡B89 ƒ~« ƒ 92 ƒ~« "A ¨fi ...˘† ¸›p„˘

⁄C¡B89 ƒ~« ƒ 92 ƒ~« "A ¨¶O¥ ¸† ¸›p„˘

⁄K¡B» „⁄ •'‹ ª¤sƒ¤"G -- o" ‰ ⁄ ‹ ¿ "

⁄E¡B" ¥ ⁄@¡B⁄G

／@¡B†／›z¥»ƒ~« ／uS@／″fie／ ¸›«´I

¥»／ ／ ／500 MHz NMR ¥ H ¡ S » O ¥ _ ´ ›«»j ·¶Q„ ƒ @ ƒ P ¤ ¥ ¸¡¤ ›p„″ ' 88 ·ƒ~« (88 ƒ~8 ／° 1 ／Ø)¥ ¿ ƒ ¡ „ ¥ ¶}¡'Æ‟A ／ « ø ˜ –ŒS‟Œ‹ •| 'w¡A˜ ~ ˜ ɪƒ› ‚p„″¡C

92 ƒ~« ¡A‹ ／ F ¥ [j–¥ ~ ¡A92 ƒ~2 ／°› ¥¿ƒ ‹ ¶ O … — •¡q ƒ ″ ″ ／@¡r¡ A 8 ／°¥ ‹fl3000 ／ fi ／S¤ ¥ ¸¶q¡C‹ ／ F ／…S‟ß／ ¸¥ | ″ ß‚Œ˝S † ¥ ¸ ¥ ‟« S ¡A¥»／ ／ ' 92 ƒ~4 ／° 25¡B26 ／Ø' ¥»fi ` | ¿ ɱfiƒ@fi¶» ƒb¥˝ ‟«´ ·／S †¥ ¸‹ ª Q• |¡n¡A` A†$ARS › .. ¡Aƒ ／ · ƒ ƒ° ¥／[H¡C¥t¥~¡A‹ ／F¯ ¤ ¥ ¸‟ ／ Ł « K xƒ¡sAŒfl2 ƒ~6 ／°ƒV Œ ‹ •·| £ ¥‚¶Q† S ¥ ¡ºA– N ƒ´´ ／§SGI INDY computer system¡A／ fl¯‹ PC computer system¡ F ƒfi' 92 ƒ~10 ／°fi ›ª¡ A 12 ／°／ fl¯S ƒ‚¤¡C¥t¥~¡A‹ ／F¥ › ¿ ¥«¡†A 92 ƒ~10 ／°–Nƒ ‹ ¶ Ω—• · ‰ ／ ¡ q ƒ‟／G¡r¡C

- §A92 ƒ~／S／uS@／″fieƒ†¡G

1. – ¤ fi ／″¡B¥~‟ ″ e·Œe A¨(` ›p‟ A¨‹ ø4000 ／ fi ¡Aƒ ¶O„F216.8 , Ư,)¡B ‟ A ¨ƒ‹ F B†z¸† ¸›p, ŒfiˇŒ J ª ¥C
2. ` ¦ fi ／″– — fi S@ ‰m¡A..W¥[' ¶¡¶ }æ(ƒ ƒ S@)／S•~ ¨¡C
3. 92 ƒ~1 ／°27 ／Ø ¦ ¡§The Orientation for NMR Users of 500 MHz NMR¡ ¤A w„ e œ‟¤″ ¥ ¸‟ ¡A» ¦œ¥»fi 500 MHz NMR ／S» „／ ¶—¡B ƒ p ƒ W‰ux„B eœ‟ ` • N ˇ¡B, Œ fifšœe／Ł‟k ¥¡C¤ˆ¥ †jXWIN-NMR ／S† ñØ¤ ¥ ¸—— ¡A¥ … ¤ ·`„#F¤ L fl ¨ˇƒŒCƒL
4. 92 ƒ~2 ／°1 ／Ø› §Cƒ ‹ ¶ O ¡ q ƒ／@¡r¡A¤ˆ„Œ‹ I¡C
5. 92 ƒ~4 ／°26¡B27 ／Ø ¦ ¥ Œ' °¡§The Biotechnological Applications of

Nuclear Magnetic Resonance¡ ¤ ‹ ª Q • | ¡ A £ ⁄ F ‡ ¥ ⁄¿S⁄¶†—¥~

⁄ ″ ¥ ~ ƒ U ‹ ª ¤ s , g ¯¥ ‹y»P⁄ ¤ ¡C

6. ' w · ` « Oi¡»A¤ˇ„S« O « ø ‡ ¤ ¸¡'C°fl
7. , Œˇ⁄S‡ ¥ »P ⁄s¡C
8. 92 ƒ~10 ⁄ ° ‰ ⁄ ƒ ‹ ¶ O ¡ q ¡ƒA¤"ˆ"Œ‹¡Cr
9. 92 ƒ~12 ⁄°¡AS „ ƒ ¤ı₱C computer ⁄ fl ¯ ⁄ ¸ ‹ ˆ ⁄S‡ƒ¥ w¯Ø fl¯ ı

ƒ ¡C

／ ¢¡B» „„BS@"‹"p／¸"A ¨ƒ¤"G

1. „BS@"‹"p¡G

¥»» „†] ₹'85 ƒ~12／° , ¸ 8¢Aƒ~1／°¯ ƒ‹¡A86 ƒ~3／º¥ ¿ ƒ † ¡¥A˜ ' » O ¥ _ ´ ˙／j» ˙ƒ„¢ƒ℗／ '"¡A†]ƒ ≠@NMR ¿ , ė ›¡ßA●f¤›ßƒ††\ ／, − ¥ ¶ ¡'Hė ›ß» æ ¯'¡eB›ƒßL † Q ß'¡eBSƒßL ‹ ‰'e¸¶ß ` n " F ė ›ßMR¡C «˙' ¤ ' w S≠W¸fw¶ O ... — •‹¿¥ , ' e●ß˜● |≠•｛˜¡†A¥B¿ , ė ×ß●¥|»» „／S¿ , ／／¡A £ ″•NMR «／S„BS@¡A¥ H £／"A ¨« ~ ‰¥¡~A¤^ƒ† ≠¥¸¿ , ／S¥ ₦¡C

NMR «˙,uƒ†` ¿ fi v fl ¯CBS@‹›ß／ †Q.. z ƒfi¡vA– M ė S@» „″ [″ ß @¤¡˜C y „BS@／Wƒ†¡ S x¥ _ ´ ˙／EDRX-500 fi ″˜ƒ@fi¶» fi ″¤¥ ″¸ †z≠Wk« h¤¡B ¡ S x ¥ _ ´ ˙／EDRX-500 fi ″˜ƒ@fi¶» fi ¥~¤˜¥ ″¸ †z≠Wk« h¤／¸¡SDRX-500 fi ″˜ƒ@ fi¶» ¤˜¥¸¥ ‰"¡¤ ¥≠W‰d¡A‹ G £%fi／″¥~...¸«~¡A‹ ¥ i ¶ ¶ S¶¡CƒG

92 ƒ~« „BS@•S"p¡Gƒhƒ~"″„BS@¤˜– o S ›ƒ†¥ R , ¸ ‴／H／Q¯／ · '¡C¥»» „' 92 ƒ~· ¶¡／S„BS@¥¿– '¡A¥B–N» „／S„BS@¥R／ o·¸A¤C／º¥ S¡fi／″‹ø27 ¥¡B ø78／pfi¡F¥~‹ø87¥¡B254／pfi¡F¥~¤˜¥¸¶ q／w W„L˜¥'¸¶q"″75%¡A "A ¨／S„Œ¯ «˙‹ø30 › ¡Afi ¥~／S„Œ¯ «˙／æ ¶ WL50%¡F¥ «e¥»» „"″¤˜¥¸¶q ／w¥R／ o·¸SC‹ ／F W¥'¶A ¨ Œ•|¶ Q«» „／S¤˜¥¸" ¡A¥»／ ／¥HCD／ø／S„Œ fi˜†˜¥ "A ¨› ¥¿‹ SK¶O¡A¥»／ ／"″„Œfi˜¥i†˜ƒs／@ƒ~¥ ¡C

• ¥»» „ o¥˝"‹"pfi ¡A¥»／ ／†˜ƒ† †¯ ／p† ¡A¤ ƒ¤›ß £ƒ†¥»／ ／／S¶ »¤ » ° ₩¥¡B／ †Q.. z ¿fi¡vB† fl ¿ • −S／¸†h\ ／ — —´¥~¡A¥tƒ†¤˜ ¨† − i · ...e¥F¥˝ ƒb″ ß@.. t ／Ł«›hƒ†› ‡.S¶¶fi a ¥¥¡B−i Œ· ¥¥¡BS₁' œ » ¥ ／¥¸ƒ › »˝¥ ¥˝ ¥／ u{fiv‹ †¯ ／p† "″／ u{−M›ß¡A¥ H†″ « "‹"p／ ·'¡C

' 92 ƒ~· ¶¡¡Aƒ] „ q , £ ¤ t ‡¥‴X˜†›{yw″–a • l ƒ •›P¤‡A¸g‰ ₩／u

{ fi v ¤ S U ⁄ U ¡ A † { ⁄ w › ·_S„ƒ¤¡A„BS@¥¿-`¡C

' 92 ƒ~6 ⁄ ° · £ ¥ X ¡ y „ q , £ ‡ n w ¯ Ø ‡A¡z⁄•S Pl¥[´„w"Œfi• | ƒ M

‡B' 92 ƒ~10 ⁄ºfi …•38 , Ʊ¡A¥ t t ¥fi»fi.•18 , Ʊ¡A¤ˇ¥ fi 500 MHz NMR

⁄ S „ q , £n– wº Ø ¶¶SŒl¯¡A¤^' 92 ƒ~12 ⁄ºS ƒ¤, ¸ ¯ ‡G¥ «e⁄S' ° fl"‹

" p » P ˘ F –« S¤¡»Dfi¡I

2. " A¨ƒ¤" G¸G

	fi ⁄"	fi ¥~	` ›p
¥ …˘	319	1042	1361
fi …˘(⁄pfi)	933.5	3045	3978.5
ƒ‹¶Q(⁄,)	69897	2098085	2167982

ø¡G, † ‰ 92ƒ~« » „" A¨'œt "

⁄T¡ B92 ƒ~« » „"A ¨'œ† "

⁄ ¥	¤ ˇ ¥ ⁄¸H fi¸ fi …˘	⁄ ¤ˇ ¥i¸ ¥ …˘	⁄ ¤ˇ ¥¸Œ ‹ fi …˘	⁄ ¤ˇ ¥Œ¸ ‹ ¥ …˘	⁄ ¤ˇ ¥¸ ⁄ ƒ‹ ¶O	Œ ‹ ƒ‹ ¶O
1	35	53	19	79	16	2213	74320
2	26	49.5	11	64.5	15	1777	35550
3	84	173	20	286.5	64	8517	183300
4	105	28	8	227	97	1166	150390
5	138	143	29	608	99	7254	318700
6	108	56	24	390.5	84	2200	261100
7	144	203	69	311	75	8072	172200
8	106	35.5	22	300	84	1324	180200
9	127	124.5	58	80.5	69	4824	56400
10	130	29.5	23	148.5	107	14050	150950
11	126	27.5	14	194	112	14100	194650
12	242	11	22	355.5	220	4400	320325
` ⁄p	1371	933.5	319	3045	1042	69897	2098085

¥|¡Β92 ƒ~« "A ·¥ …˘fi …˘¶O¥ ¸† ¸›p„˘

1. fi ⁄ ″ ¥ ~ ¤ ˘ ¥ ¥ …˘⁄æ,ß"



2. fi ⁄ ″ ¥¤fi¥.¸˘ ⁄ æß"



3. fi ⁄ ″ ¥¤¶O¥¸ ¸ ⁄ æß"



ノ›¡B88ƒ~« ƒ 92ƒ~« "A ¨¥ …˘†¸›p„ˇ



⁄»¡ B88 ƒ~« ƒ 92 ƒ~« "A ¨fi …˘† ¸›p„˘



／C¡ B88 ƒ~« ƒ 92 ƒ~« "A ¨¶O¥ ¸† ¸›p„ˇ



⁄K¡B» „⁄ • '< ª¤sƒ¤"G -- o" ‰ ⁄ < ¿ " (1998-2003)

1998

¡ m fi } æ¯ ¡n

1. Lin CC, Hsu YF, Lin TC, Hsu FL and Hsu HY(1998).Antioxidant an Hepatoprotective activity of punicalagin and punicalin on carbon tetrachloride-induced liver damage in rats. J. Pharm. Pharmacol.(50):789-794.
2. Cheng KT, Fu LC, Wang CS, Hsu FL and Tsay HS(1998).Identification of Anoectochilus formosanus and Anoectochilus koshunensis species with RAPD markers. Planta Med.(64):46-49.
3. Lin PY, Shi SJ, Hsu FL and Chen CF(1998).New cantharidinimides from cantharidin and 2-arylethylamine: efficient synthesis under high pressure. J. Chin. Chem. Soc.(45):323-326.
4. Ma YT, Huang MC, Hsu FL and Chang HF(1998).Thiazinedione from xanthii fructus. Phytochemistry.(48):1083-1085.
5. Huang YL, Chen CC, Hsu FL and Chen CF(1998).Two tannins from Phyllanthus tenellus. J. Nat. Prod.(61):523-524.
6. Huang YL, Chen CC, Hsu FL and Chen CF(1998).Tannins, flavonol sulfonates, and a norlignan from Phyllanthus virgatustenellus. J. Nat. Prod.(61):1194-1197.
7. Lai CW, Hsu FL and Cheng JT(1998).Stimulatory effect of paeoniflorin on adenosine A-1 receptors to increase the translocation of protein kinase C (PKC) and glucose transporter (GLUT 4) in isolated rat white adpocytes. Life Sci.(62):1591-1595.

¡m" L ¢fi¡Sn

1. Lin SJ, Short RE, Ford SP, Grings EE and Rosazza JPN(1998).In vitro biotransformations of isocupressic acid by cow rumen preparations: formation of agathic and dihydroagathic acids. J. Natl. Prod.(61):51-56.
2. Lin SJ and Rosazza PN(1998).Microbial transformations of isocupressic acid. J. Natl. Prod.(61):922-926.

¡m¶ ñ"Ffn

1. Sheng-Tung Huang and Dana M. Gordon(1998).Total Synthesis of Endothelin-Converting Enzyme Antagonist WS75624B. Tetrahedron Letters.(39):9335-9338.

¡m"L¥ »,¡n

1. Lin PY, Shi SJ, Hsu FL and Chen CF(1998).New cantharidinimides from cantharidin and 2-arylethylamine: efficient synthesis under high pressure. J. Chin. Chem. Soc.(45):323-326.
2. Lin PY and Stamm H(1998).Amidoethylation of anthracence hydride by N-aroylaziridines: inner-sphere single electrontransfer (SET) and radical coupling confirmed. J. Chem. Research(s).():646-647.

¡m† fl ≈'¢n

1. Chou JS, Shih TS, Huang WY, Shen YJ, Chan H and and Chen CM(1998).Method development for the biological monitoring of 2-butanone exposure. † ⁄ u ƒ w ¥ ‰ ¥´.(6)=99'LN2Z
2. Ko WC, Charng CY, Sheu JR, Lin JR, Tzeng SH and Chen CM(1998).Effect of butylidenephthalide on calcium mobilization in isolated rat aorta. J. Pharm. Pharmacol.(50):1365-1369.
3. Ko WC, Sheu JR, Tzeng SH and Chen CM(1998).The selective antianginal effect without changing blood pressure of butylidenephthalide in conscious rats. Planta Medica.(64):229-232.

¡m§ ı < ‰¡n

1. • ¤ < ´ < ´ ¡ ª\§ fl„e‰¡ªBB – ⁄ « WE(1998)"¥ « , fl fi » P §, fläidzeinfl⁄¿puerarin⁄§HPLC ⁄ "R » O ˘ W .(51):46-67.

¡m⁄ R^¢fn

1. ⁄ R^¢ª‡fl·f< ´ ¡ B ¤‹(1998).« ¥ Acid Phosphatase » fl ⁄ "R⁄Ł" k ⁄ j ¶ q ¿ ¿ ⁄§§ M"æ^.˜» O W‹ ˙.(51):1-18.

1999

¡ m fi } æ¯ ¡n

1. Lin TC and Hsu FL(1999).Tannin and related compounds from Terminalia catappa and Terminalia parviflora. J. Chin. Chem. Soc.(46):613-618.
2. Lin PY, Shi SJ and Hsu FL(1999).Synthesis of catharidinimide derivatives via the mitsunobu reaction. New Taipei Journal of Medicine.(1):20-22.
3. Liu IM, Chi TC, Hsu FL, Chen CF and Cheng JT(1999).Isoferulic acid as active principle from the rhizoma of Cimicifuga dahurica to lower plasma glucose in diabetic rats. Planta Medica.(65):712-714.

¡ m " L Œfi S ¡n

1. Ford, SP, Rosazza JPN, Al-Mahmoud MS, Lin S, Farley DB, Short RE(1999).Aborificent Effects of a Unique Class of Vasoactive Lipids from Pinus ponderosa Needles. J. of Animal Science.(77):2187-2193.
2. Yang LM, Lin SJ, Lin LC and Kuo YH(1999).Antitumor agents. 2. Synthesis and cytotoxic evaluation of 10-bromorutaecarpine. Chin. Pharm. J.(51):219-225.

¡ ™L¥ »‚¡n

1. Lin PY, Shi SJ and Hsu FL(1999).Synthesis of catharidinimide derivatives via the mitsunobu reaction. New Taipei Journal of Medicine.(1):20-22.

¡m∓ fl ≈'œn

1. Ko WC, Kuo SW, Sheu JR, Lin CH, Tzeng SH and Chen CM(1999).Relaxant action mechanisms of quercetin 3,3',4'5,7-pentamethyl ether in isolated guinea-pig trachea. New Taipei Journal of Medicine.(2):98-106.
2. Ko WC, Kuo SW, Sheu JR, Lin CH, Tzeng SH and Chen CM(1999).Relaxant effects of quercetin methyl ether derivatives in isolated guinea-pig trachea and their structure-activity relationships. Planta Medica.(65):273-275.
3. W.P. Huang, P. Chan, Y.J. Chen, C.M. Chen, S.S. Liao, W.T. Chin, J.T. Cheng(1999).Changes of superoxide dismutase in cultured rat aortic smooth muscle cells(A7r5) by an incubation of vitamin E. Pharmacology.(59):275-282.
4. J.S. Chou, T.S. Shih, C.M. Chen(1999).Detection of methyl ethyl ketone in urine using headspace solid phase microextraction and gas chromatography. J. Occup. Environ. Med.(41):1042-1047.

¡m§ d «...¡wn

1. Sheu SY, Lin CY, Wu J and Chiang HC(1999).Inhibition of xanthine oxidaseby benzothiazinone analogues. Anticancer Res.(19):119-124.

¡m§ ı ‹ ‰¡n

1. Chen LC, Lee MH , Chou MH, Lin MF and Yang LL(1999).Pharmacokinetic study of paeoniflorin in mice after oral administration Paeoniae radix extract. Journal of Chromatography B.(735):33-40.

¡m⁄ R^fin

1. Yang LL, Wang CC, Yen KY, Yoshida T, Hatano T, Okuda T(1999).Antitumor activities of ellagitannins on tumor cell lines. Plant Polyphenols 2.():615-628.
2. Wang CC, Chen LG and Yang LL(1999).Inducible nitric oxide synthase inhibitor of the Chinese herb I. Saposhnikovia divaricata (Turcz.) schischk. Cancer Letters.(145):151-157.
3. Wang CC, Chen LG, Yang LL(1999).Antitumor activity of four macrocyclic ellagitannins from Cuphea hyssopifolia. Cancer Letters.(140):195-200.

¡m§df ¤„¡n

1. Wu KS, Wu AB, Huang MC and Chen CY(1999).Identification of illegal coal tar dyes constituents in mucous cosmetics by HPLC method. J. Food Drug Anal.(7):95-105.
2. §df ¤„¡ B G z⁄†fl‡HŒfl ‡B"I§ D ‹ ı ÞS fi‹EÞL.. y ⁄¡Þfl· ‹v(1999).‰ ¥ ⁄ ⁄ § C † " ¤ ©f.›⁄†J¥ ⁄§»s†˜ „ A ♦ .(HŒ7):93-99.

2000

¡ m ǂ ç ¸„ ¡n

1. Yuh-Ling Lin, Chien-Tsu Chen, Su-Cheng Lin, Lee Cheng, Hsien-Shou Kuo, Chun-Mean Shih, Yuan-Hsun Hsu, Yi-Ping Chin & Err-Cheng Chan(2000).A simple method to determine urea concentration using intact Helicobacter Pylori and Bromo Cresol Purple as a pH indicator. Biotecnology Letters.(22):1077-1079.
2. Yuh-Ling Lin, Hsien-Shou Kuo, Chien-Tsu Chen and Sheng-Chu Kuo(2000).Biological Energy form the igneous Rock Enhances Cell Growth and Enzyme Aativity. Nucear Medicine & Biologh.(27):001-006.

¡ m fi } æ¯ ¡n

1. Lin TC, Chien SC, Chen HF and Hsu FL(2000).Tannins and relate compounds from Combretaceae plants. Chin. Pharm. J.(52):1-26.
2. Lin PY, Shi SJ, Lin LH and Hsu FL(2000).Pressure synthesis of novel N-pyridylcantharinimides. Syn. Comm. (in press).():-.
3. Cho YW and Hsu FL(2000).Reactivating glyburide in a group of sulfonylurea tolerating and non-responding typ 2 diabetics with the iso-oral insulin and isoglysulin. Chin. Pharm. J.(52):313-324.
4. Liu IM, Hsu FL, Chen CF and Cheng JT(2000).Antihyperglycemic action of isoferulic acid in streptozocine-induced diabetic rats. British Journal of Pharmacology.(129):631-636.
5. Hsu FL, Chen YC and Cheng JT(2000).Caffeic acids as active principle from the fruit of Xanthium strumarium to lower plasma glucose in diabetic rats. Planta Medica.(66):228-230.

¡m" L ¥⁄¡n

1. Pen-Yuan Lin(2000).A Simple Procedure for preparation of N-Thiazolyl and N-Thiadiazolylcantharidinimides and Evalution of Their Cytotoxicities against Human Hepatocellular Carcinoma Cells. Bioorganic Chemistry.(28):266-272.
2. Huang HS,LinPY(2000).Characterization of Novel 10 Substuted 1,8-Dihydroxy-9(10H(-anthracearone)) derivatives by Mass Spectrometry. Proc. Natl. Sci. Counc. ROC.(B):45-51.
3. LinPY,WeissR,WerryJ, FalkensteinR,StammH(2000).Neglected Aspects of Anthracenide (Anthracenidyl)Chemistry reactions of two N-Benzoylaziridines. J. Prakt. Chem.(342):153-161.

¡m# fl ˜'ø¤n

1. C.K. Chao, L.L. Yu, L.L. Su, C.M. Liu, T.H. Yang, C.M. Chen(2000).Bioequivalence study of tramadol by intramuscular administration in healthy volunteers. ArzneimForsch/Drug Res.(50(II)):636-640.

¡m§ ı ‹ ‰¡n

1. Lee MH, Chiou JF, Yen KY and Yang LL(2000).EBV DNA polymerase inhibition of tannins from Eugenia uniflora. Cancer Letters.(154):131-136.

¡m⁄ R^ƒn

1. Wang CC, Wu CH, Hsieh KJ, Yen KY, Yang LL(2000).Cytotoxicity effects of cantharidin on the growth of normal and carcinoma cells. Toxicology.(147):77-87.
2. Wang CC, Chen LG and Yang LL(2000).Cuphiin D1, the macrocycllic hydrolyazble tannin induced apoptosis in HL-60 cell line. Cancer Letters.(149):77-83.
3. Wang CC, Lai JE, Chen LG, Yen KY, Yang LL(2000).Inducible nitric oxide synthase inhibitors of Chinese herbs II. naturally occurring furanocoumarins. Bioorganic & Medicinal Chemistry.(8):2701-2707.

¡m§ d ¥fl¤¡„n

1. Chen FA, Wu AB, Chen CW, Chao SH and Chen CY(2000).Effect of hydroxypropyl-b-cyclodextrin on the solubility and dissolution of nicardipine. New Taipei J. Med.(2):100-108.
2. Chen FA, Wu AB, Cheng HW and Chen CY(2000).Inclusion complex formation of alkanin/shikonin enantiomers in hydroxypropyl-b-cyclodextrin. Tajen J.(18):1-9.
3. Wu AB, Cheng HW, Chen SJ, Lu SK, Lin CW and Chen CY(2000).ln-vitro interaction of retinoic acid with telopeptide-poor collagen. J. Agr. Assoc. China.(I):99-107.

2001

¡ m ‡ ¢ „ ¡ n

1. Huang ST, Kuo HS, & Chen CT(2001).Total synthesis of NADH:ubiquinone oxidoreductase(complex I) antagonist pterulone and its analogue. Tetrahedron Letters.(42):7473-7475.

¡ m fi } æ¯ ¡ n

1. Lin SJ, Yeh CH, Yang LM, Liu PC and Hsu FL(2001).Phenolic compounds from Formosan Euphorbia tirucalli. J. Chin. Chem. Soc.(48):105-108.
2. Lin PY, Shi SJ, Lin LH, Chen HF and Hsu FL(2001).Synthesis of novel N-pyridylcantharidinimides by using high pressure. J. Chin. Chem. Soc.(48):49-53.
3. Chang JJ, Chen TH, Chan P, Chen YJ, Hsu FL, Lo MY and Lin JY(2001).The in vitro inhibitory effect of tannin derivatives on 3-hydroxy-3-metylglutaryl-coenzyme A reductase on vero cells. Pharmacology.(62):224-228.

¡m" L ŒfiŠn

1. Lin SJ, Yeh CH, Yang LM, Liu PC, Hsu FL(2001).Phenolic Compounds fromFormosan Euphorbia tirucalli. Journal of the Chinese Chemical Society.(48):105-108.

¡m"L‹ ›»¡n

1. Sung-Sen Yang, Pauling Chu, Mei-Shan Lin, An Chen, and Yuh-Feng Lin(2001).Two Clinical Variants of Chinese-Herb Nephropathy: Case Reports and Review of the Literature. J. Med. Sci.(21):217-22-.

¡m¶ ì"Fn

1. Sheng-Tung Huang*, Hsien-Shou Kuo, Chien-Tsu, Chen(2001).Total Synthesis of NADH:Ubiquinone Oxidoreductase (complex I) antagonist Pterulone and Its Analogue. Tetrahedron Letters.(42):7473-7475.

¡m"L¥ »‚¡n

1. Hsu-shan Huang, Pen-Yuan Lin, Jing-Min Hwang, Chi-Wei Tao, Hsien-Chin Hsu, Yu-Liang Lai(2001).Studies on anthracenes. 3.Synthesis, Lipid Peroxidation and Cytotoxic Evaluation of 10-Substituted 1,5-Dichloro-9(10H)-anthracene Derivatives. Chemical Pharmaceutical Bulletin.(49):1288-1291.
2. Pen-Yuan Lin(2001).Synthesis of Novel N-Pyridylcantharidinimides by Using High Pressure. J. Chin.Chem.Soc.(48):-.

¡mŠ‹ ‰ ¡n

1. Hou WC, Chen YC, Chen HJ, Lin YH, Yang LL, Lee MH(2001).Antioxidant activities of trypsin inhibitor, a 33 kDa root storage protein of sweet potato (Ipomoea batatas L. Lam cv. Tainong 57). J. Agric. Food Chem.(accepted) JF0100705. :-.():-.
2. Hou, WC., Chen, H. J., Lin, Y. H., Chen, Y. C., Yang, L. L., Lee, M. H.(2001).Activity staining of isocitrate lyase after electrophoresis on either native or sodium dodecylsulfate polyacrylamide gels. Electrophoresis.(22):2653-2655.
3. Hou, W. C., Lee, M. H., Chen, H. J., Liang, W. L., Han, C. H., Liu, Y. W., Lin, Y. H.(2001).Antioxidant activities of dioscorin, the storage protein of yam (Dioscorea batatas Decne) tuber. J. Agric. Food Chem.(49):4956-4960.
4. Lee, M. H., Lin, R. D., Shen, L. Y., Yang, L. L., Yen, K. Y. and Hou, W. C.(2001).Monoamine oxidase B and free radical scavenging activities of natural flavonoids in Melastoma candidum D. Don. J. Agric. Food Chem.(49):5551-5555.

¡m¿ c «¥Œn

1. Lu CK, Lee GH , Huang R and Chou HN(2001).Spiro-prorocentrimine, a novel macrocyclic lactone from benthic Prorocentrum sp. of Taiwan. Tetrahedron Letter.(42):1713-1716.

¡m‹ R^fn

1. Wang CC, Chen LG and Yang LL(2001).Camelliin B induced apoptosis in HeLa cell line. Toxicology.(168):231-240.

¡mŠ d ¥¤¡„n

1. Chen FA, Wu KS, Huang MC, Chen CY, andWu AB*(2001).Simultaneous Quantitation of Cationic Disinfectants by High-performance Liquid Chromatography on A Silica Gel Column Using Aqueous Eluents. J.Food Drug Anal.(9):191-198.
2. Chen FA*, Wu AB , Huang KK, Liao JW, Chen CY(2001).Enhancement of the Skin Penetration of Alkannin/shikonin Enantiomers by Tooki Extract. Chin. Pharm. J.(53):15-25.
3. Wu AB, Chen CY, Chu SD, Tsai YC and Chen FA*(2001).Stability-indicating High-Performance Liquid Chromatographic Assay Method and Photostability of Carprofen. J. Chromatogr. Sci.(39):7-11.

2002

¡ m ‡ ¢ „ ¡ n

1. Huang ST, Kuo HS, Hsiao CL, & Lin YL(2002).Efficient Synthses of Redox-Switched Naphthoquinone Thiol-Crown Ethers and Their Biological Activity Evaluation. Bioorganic & Chemistry.():1947-1952.

¡ mfi } æ¯¡ n

1. Yang LM, Lin SJ. Hsu FL and Yang TH(2002).Antitumor agents. part 3: synthesis and cytotoxicity of new trans-stilbene benzenesulfonamide derivatives. Bioorganic & Medicinal Chemistry Letters.(12):1013-1015.
2. Hou CC, Lin SJ, Cheng JT and Hsu FL(2002).Bacopaside III, bacopasaponin G, and bacopasides A, B, and C from Bacopa monniera. J. Nat. Prod.(65):1759-1763.
3. Liu JC, Chan P, Hsu FL, Chen YJ, Hsieh MH, Lo MY and Lin JY(2002).The in vitro inhibitory effects of crude extracts of traditional Chinese herbs on 3-hydroxy-3-methylglutaryl-coenzyme A reductase on vero cells. The American Journal of Chinese Medicine.(30):629-636.
4. Hou WC, Hsu FL and Lee MH(2002).Yam (Dioscorea batata) tuber mucilage exhibited antioxidant activities in vitro. Plant Med.(68):1072-1076.
5. Hsu FL, Hou CC, Yang LM, Cheng JT, Chi TC, Liu PC and Lin SJ(2002).Microbial transformations of isosteviol. J. Nat. Prod.(65):273-277.
6. Hsu FL, Lin YH, Lee MH, Lin CL and Hou WC(2002).Both dioscorcin, the tuber storage protein of yam (Dioscorea alata cv. Taninong no. 1), and its peptic hydrolysates exhibited angiotensin converting enzyme inhibitory activities. J. Agric. Food Chem.(50):6109-6113.

¡ m" L Œfi§n

1. Hsu FL, Hou CC, Yang LM, Cheng JT, Chi TC, Liu PC, and Lin SJ(2002).Microbial Transformations of Isosteviol. J. Nat. Prod.(65):273-277.
2. Yang LM, Lin SJ, Hsu FL, and Yang TH(2002).Antitumor Agents. Part 3: Synthesis and Cytotoxicity of New trans-Stilbene Benzenesulfonamide Derivatives. Bioorganic & Medicinal Chemistry Letters.(12):1013-1015.
3. Hou CC, Lin SJ, Cheng JT, and Hsu FL(2002).Bacopaside III, Bacopasaponin G, and Bacopasides A, B, and C from Bacopa monniera. J. Nat. Prod.(65):1759-1763.

¡ m"L‹ ››¡ n

1. Lin MS(2002).Synthesis of 1,4-Dihydro-2-phenyl-4,4-bis(4-pyridinylmethyl)-2H-isoquinolin-3-one and Related Compounds as Acetylcholine Release Enhancers. The Chinese Pharmaceutical Journal.(54):271-281.

¡ m¶ ñ"Fn

1. Sheng-Tung Huang, Hsien-Shou Kuo, Chiao-Long Hsiao, Yuh-Ling Lin(2002).Efficient synthesis of 'redox-switched' napthoquinone thiol-crown ethers and their biological activity evaluation. Bioorganic & Medicinal Chemistry.(10):1947-1952.

¡ m‡ fl ≈'¢n

1. J-P Wang, L-C Chang, S-L Raung, M-F Hsu, C-M Chen(2002).Cellular mechanism of inhibition of superoxide anion generation in rat neutrophiles by the synthetic isoquinoline DMDI. Eur. J. Pharmacol.(434):9-16.
2. Ko WC, Liao CC, Shih CH, Lei CB, Chen CM(2002).Relaxant Effects of Butylidenephthalide in Isolated Dog Blood Vessels. Planta Medica.(68):1004-1009.

¡ m§ d «...¡wn

1. Ming-An Hsieh, Hsiu-O Ho, Jender Wu, Ming-Thau Sheu(2002).Mechanical Performance of Codried Product of Microcrystalline Cellulose with b-Cyclodextrin. New Taipei Journal of Medicine, accepted by March 15, 2002.(4):117-125.

¡ m S ı ‹ ‰ ¡n

1. Hsu FL, Lin YH, Lee MH, Lin CL, and Hou WC.(2002).Both dioscorin, the tuber storage protein of yam (Dioscorea alata cv. Tainong No.1), and its peptic hydrolysates exhibited angiotensin converting enzyme inhibitoryactivities. J. Agric. Food Chem.(50):6109-6113.
2. Hou WC, Hsu FL, Lee MH(2002).Yam (Dioscorea batatas Decne) Tuber Mucilage Exhibited Antioxidant Activities in Vitro. Planta Medica.(68):1072-1076.
3. Lee MH, Chuang MT, and Hou WC(2002).Activity staining of plasma amine oxidase after polyacrylamide gel electrophoresis and its application for natural inhibitor screenings. Electrophoresis.(23):2369-2372.

¡ ‰ı.. yŒ¡n

1. Kuo C C, Chiang W C, Liu G P, Chien Y L, Chang J U, Lee C K, Lo J M, Huang S L, Shi M C(2002).2,2-Diphenyl-1-picrylhydrazyl Radical-Scavenging Active Compounds from Adlay (Coix iachryma-jobi L. var. ma-yuen Stapf) hulls. J. Agri Food Chem.(50):5850-5855.
2. Lee J H, Kuo Y C , Wang G J , Lee C K, Kuo Y H, Lu C K, Chang C I(2002).Five New Highly Oxygenated Phenolics from the Roots of Ficus beecheyana. J. Nat. Prod.(65):1497-1500.
3. Lee T H, Wang G J, Lee C K, Lee Y H, Kuo Y H, Chou C H(2002).In Inhibitoty effects of Glycosides from the Leaves of Melaleuca quinquenervia on Vascular Contraction of rats. Planta Med.(68):492-496.

¡m¿ c «¥ƒ¤n

1. Lee TH, Kuo YC , Wang GJ , Kuo YH , Lu CK andLee CK(2002).Five new highly oxygenated phenolics from the roots of Ficus beecheyana. Journal of Nature Products.(65):1497-1500.
2. LU CK and Chou HN(2002).Research of marine dinoflagellate bioactive compounds in Taiwan. Proc. Int. Commem. Sym. 70th Ann. Jap. Soc. Fish. Sci., Fish. Sci.(68):1593-1596.

¡m´ R^£n

1. Yang LL, Liang YC, Chang CW, Lee WS, Kuo CT, Wang CC, Lee HM, Lin Ch(2002).Effects of sphondin, isolated from Heracleum laciniatum, on IL-1b-induced cyclooxygenase-2 expression in human pulmonary epithelial cells. Life sciences.(72):199-213.
2. Lin CH, Chang CC, Wang CC, Chang MS, Yang LL(2002).Byakangelicol, isolated from Angelica dahurica, inhibits both the activity and induction of cyclooxygenase-2 in human pulmonary epithelial cells. J. Pharmacy and Pharmacology.(54):1271-1278.
3. Yang LL, Chang CC, Wang CC,(2002).Extract of Myrica rubra var. acuminata Induced Apoptosis in a Cervical Carcinoma Cell Line. Nutritional Sciences J.(27):109-117.
4. Wang CC, Chen LG, Yang LL(2002).Cytotoxic effects of cuphiin D1 onthe growth of human cervical carcinoma and normal cells. Anticancer Research.(22):2677-2684.
5. Wang CC, Huang YJ, Chen LG, Lee LT, Yang LL(2002).Inducible nitric oxidesynthase inhibitors of Chinese herbs III. Rheum palmatum L. Planta Medica.(68):867-874
6. Wang CC, Chen LG, Yang LL(2002).Cytotoxic Activity of Sesquiterpenoids from Atractylodes ovata on Leukemia cell lines. Planta Medica (Accept).():-.
7. Wang CC, Chen LG, Yang LL(2002).In vitro immunomodulatory effects of cuphiin D1 on human mononuclear cells. Anticancer Research.(22):4233-4236.

2003

¡ m ‡ ¢ ¸„ ¡n

1. Huang ST, Kuo HS, Lin CM, Tsai HD, Peng YC, Chen CT, & Lin YL(2003).Synthesis and Biological Evaluation of Novel bis-Aziridinylnaphthoquinone Derivatives. Oncology Research.(13):199-204.
2. Lin YL, Kuo HS, Wang YW, & Huang ST(2003).SN2/Wittig reaction. Total synthesis of NADH:ubiquinone oxidoreductase (complex I) antagonist pterulinic acid. Tetrahedron.(59):1277-1281.

¡ m fi } æ¯ ¡n

1. Liu YW, Han CH, Lee MH, Hsu FL, Hou WC(2003).Patatin, the Tuber Storage Protein of Potato (Solanum tuberosum L.), Exhibitis Antioxidant Activity in Vitro. J. Agric. Food Chem.(51):4389-4393.
2. Lee MH, Lin YH, Lin YH, Hsu FL, Hou WC(2003).The mucilage of yam (Dioscorea batatas Decne) tuber exhibited angiotensin converting enzyme inhibitory activities. Bot. Bull. Acad. Sin.(44):267-273.
3. Lin HY, Uan SH, Shen SC, Hsu FL, Chen YC(2003).Inhibition of Lipopolysaccharide-induced Nitric Oxide Production by Flavonoids in RAW264.7 Macrophages Involves Heme Oxygenase-1. Biochem Pharmacol.(66):1821-1832.
4. Hou CC, Lin SJ, Cheng JT, Hsu FL(2003).Antidiabetic Dimeric Guianolides and a Lignan Glycoside from Lactuca indica. J. Nat. Prod.(66):625-629.
5. Hou WC, Lee MH, Hsu FL, Lin YH(2003).Inhibitory Activities of Semicarbazide-Sensitive Amine Oxidase and Angiotensin Converting Enzymine of Pectin Hudroxamic Acid. J. Agric. Food Chem.(51):6362-6366.
6. Wen-Chi Hou, Mei-Hsien Lee, Feng-Lin Hsu, and Yaw-Huei Lin(2003).Hou WC, Lee MH, Hsu FL, Lin YH. Inhibitory Activities of Semicarbazide-Sensitive Amine Oxidase and Angiotensin Converting Enzymine of Pectin Hudroxamic Acid.(51):6362-6366.
7. Shih HD, Liu YC, Hsu FL, Mulabagal V, Dodda R and Huang JW(2003).Fungichromin: A substance from Streptomyces padanus with inhibitory effects on Rhizoctonia solani. J. Agric. Food Chem.(51):95-99.
8. Shen SC, ChenYC, Hsu FL, Lee WR(2003).Differential Apoptosis-Inducing Effect of Quercetin and its Glycosides in Human Promyeloleukemic HL-60 Cells by Alternative Activation of the Caspase 3 Cascade. J. Cellular Biochemistry.(89):1044-1055.
9. Sheu SJ, Hsu FL, Tai HM, Sheu MJ and Huang MH(2003).Determination of Xanthii constituents by high-performance liquid chromatography and capillary electrophoresis. J Food and Drug Analysis.(11):67-71.

¡m" L Œfi¡Sn

1. Hou CC, Lin SJ, Cheng JT and Hsu FL(2003).Antidiabetic Dimeric Guianolides and Lignan glycoside from Lactuca indica. J. Nat. Prod.(66):-.

¡m"L‹ ›»¡n

1. Lin MS(2003).A New Isoquinolinone Derivative with Noble Vasorelaxation Activity. Pharmacology.(67):202-210.

¡m¶ ì"Fn

1. Lin, YL; Kuo, HS; Wang, YW; Huang, ST(2003).Efficient entry to 1-bezoxepine ring skeleton via tandem Sn2/Wittig reaction. Total synthesis of NADH: ubiquinone oxidoreductase (complex I) antagonist pterulinin acid. Tetrahedron.(59):1277-1281.
2. Huang, ST; Kuo, HS; Lin, CM; Tsai, HD; Peng, YC; Chen, CT; Lin, YL(2003).Synthesis and biological evaluation of novel bis-aziridinylnaphthoquinone derivatives. Oncology Research.(13):199-204.

¡m‡ fl ~'œn

1. Huang YL, Lin CF, Lee YJ, Li WW, Chao TC, Bacherikov VA, Chen KT, Chen CM, Su TL(2003).Non-classical Antiffolates, 5-(N-phenylpyrrolidin-3-yl)-2,4,6-triaminopyrimidines and 2,4-Diamino-6(5H)-oxopyrimidines, Synthesis and Antitumor Studies. Bioorganic & Medicinal Chemistry.():145-157.
2. Chang LC, Chen CM, Wang JP(2003).Inhibition of formyl-methionyl-leucyl-phenylalanine-stimulated phospholipase D in rat neutrophils by the synthetic isoquinoline DMDI. Biochimica et Biophysica Acta.(1620):191-198.

¡mS›‹ ‰ ¡n

1. Hou, W. C., Rong-Dih Lin, Kur-Ta Cheng, Hung Yuan-Tsung, Cho Chia-Hsien, Chih-Hui Chen, Shy-Yuan Hwang, Mei-Hsien Lee(2003).Free radical-scavenging activity of Taiwanese native Plants. Phytomedicine.(10):-.
2. Lin RD, Hou WC, Yen KY, Lee MH(2003).Inhibition of Monoamine Oxidase B (MAO-B) by Chinese Herbal Medicines. Phytomedicine.(11):-.

3. Liu YW, Han CH, Lee MH, Hsu FL, and Hou WC(2003).Patatin, the tuber storage protein of potato (Solanum tuberosum L.), exhibited antioxidant activity in vitro. J. Agric. Food Chem.(51):4389-4393.
4. Hou WC, Lee MH, Hsu FL, Lin YH(2003).Inhibitory activities of semicarbazide-sensitive amine oxidase and angiotensin converting enzyme of pectin hydroxamic acid. J. Agric. Food Chem.(51):6362-6366.
5. Lee MH, Lin YH, Lin YH, Hsu FL, Hou WC(2003).The mucilage of yam (Dioscorea batatas Decne) tuber exhibited angiotensin converting enzyme inhibitory activities. Bot. Bull. Acad. Sin.(44):267-273.

¡ m S ı ¥. Œ¡ n

1. Lee CK(2003).Chemical Constituents from the Roots of Cassia fistula L. Chin. Pharm. J.():-.

¡ m¿ c « ¥ œ n

1. Lee CK, Lu CK, Kuo YH, Chen JZ and Sun GZ(2003).The New Prenylated Flavones from the Roots of Ficus beecheyana. J. Chin. Chem. Soc.():-.

¡ m R ^ £ n

1. Yang LL, Wang MC, Chen LG, Wang CC(2003).Cytotoxic Activity of Coumarins from Cnidium monnieri (L) Cusson on Leukemia Cell Lines. Planta Medica,accepted.():-.
2. Lee HH, Yang LL, Wang CC, Hu SY, Chang SF, Lee YH(2003).Differential effects of natural polyphenol on neuronal survival in primary cultured central neurons against glutamate- and glucose deprivation-induced neuronal death. Brain Research.(986):103-113.
3. Wang CC, Chen LG, Lee LT, Yang LL(2003).Effects of 6-Gingerol, an Antioxidant from Ginger, on Inducing Apoptosis in Human Leukemic HL-60 Cells. In Vivo, accepted.():-.
4. Yang LL, Chang CC, Chen LG, Wang CC(2003).Antitumor Principle Constituents of Myrica rubra var. acuminata. J. Agric.Food Chem (accepted).():-.

¡ m S d ¥ ¤ ¡ n

1. Chen FA, Wang PY, Wen KC, Chen CY and Wu AB*(2003).Photolysis of NSAIDs. II. Online LC-MS Determination of Photodegradants from Carprofen. J. Food Drug Anal.(11):-.
2. Chen CY, Chen FA, Chen CJ, Wu KH and Wu AB*(2003).Stability-indicating HPLC Assay Method of Zomepirac. J. Food Drug Anal.(11):-.
3. Sheu MT, Ho HO, Wang PY, Liou YB, and Wu AB*(2003).Photolysis of NSAIDS. I. Photodegradation Products of Carprofen determined by LC-ESI-MS. J. Chromatogr. Sci.(41):200-204.
4. Chen FA, Chen CY, Chen CJ, and Wu AB*(2003).Quantitation of Tolmetin by High-performance Liquid Chromatography and Method validation. J. Chromatogr. Sci.(41):381-384.
5. Sheu MT, Wu AB, Yeh GC,Hsia A, Ho HO*(2003).Development of a liquid chromatographic method for bioanalytical applications with sildenafil. J. Chromatogr. B.(791):255-262.
6. Chen FA*, Wu AB, and Chen CY(2003).Inclusion Complexes of Carprofen with Hydroxypropyl-b-cyclodextrin. J. Incl. Phenom. Macro. (in press).(46):-.
7. Wu AB, Huang MC, Ho HO, Yeh GC, and Sheu, MT(2003).Separation of Basic Compounds through Liquid Chromatography using Various Silica Columns with a Simple Aqueous Mobile Phase. Biomed. Chromatogr. (accepted).():-.

⁄E¡B‟ ¥

‟ ‟⁄@

¥ x ¥ _ ´ ·⁄fj@·ƒ P » „⁄⁄⁄

500 MHz NMR ƒ ‹ ¶ Ω—•·

92 ƒ~2⁄°1⁄ Ø „Œ‹I

„ Œ ¯ ¶ ¥	ƒ ¶O	ł ˘ø
⁄@″ ß B^—	300 ⁄„/›	„O20 ⁄ ˜ ¡A¼Œ⁄ ˜`¥[ƒ‹ 100 ⁄„¡C
⁄@″ß″ ^—¡BDEPT	800 ⁄„/⁄ fi	⁄ £ ¤ ‹ ¥ b ⁄ p fi ¥H¶Œb⁄pfi ›p
Decoupled¡BNOE	400 ⁄„/peak	
⁄G″ß„ˇ^—¡GCOSY¡B NOESY¡BHMBC¡B HMQC ¥	800 ⁄„/⁄ fi	⁄ £ ¤ ‹ ¥ b ⁄ p fi ¥b⁄pfi ›p¶O
¯ • ¸„Œ¯	200 ⁄„/› 600 ⁄„/⁄ fi	† B ^⁄S • ¸Œ(ufi ¶ ¡ ⁄ S„)ƒ¤ ‟Hfi ¶¡„ Œ
3D	1500 ⁄„/⁄ fi	ƒ ƒ processing „ˇ^—

¥ x ¥ _ ´ ·/fj@·ƒ P » „///
500 MHz NMR ƒ ‹ ¶ Ω—•·

92 ƒ~10/°1/ Ø „Œ‹I

A ¥ ¸ ' ¡ GŒ¤ ¤•¥¶¶Ω´ − b ¡ B fi¥~ e·œ

„ Œ ¯ ¶ ¥	ƒ ¶O	† ˘ø
/ @ " ß B^—	400 /„/›	„O20 / ~ ¡A‡Ω / ˜`¥[ƒ‹ 100 /„¡C
/ @ß" ^—¡BDEPT	1500 /„/ fi	/ £ ¤ ‹ ¥ b / p fi ¥H¶Ωb/pfi ›p
Decoupled¡BNOE	500 /„/peak	
/G"ß„˘^—¡GCOSY¡B NOESY¡BHMBC¡B HMQC ¥	1500 /„/ fi	/ £ ¤ ‹ ¥ b / p fi ¶¥b/pfi ›p¶O
¯ • „Œ¯	200 /„/› 600 /„/ fi	† B ^/S • „Œ(ufi ¶ ¡ / S„)ƒ¤ "¶fi ¶¡„ Œ
3D	2000 /„/ fi	ƒ ƒ processing „˘^—
„]„ Œ	« e zƒ¶O/S/@¥b	

A ¥ ¸ ' ¡ G ¥ x ¥ /"–·/fi ¡vfi L Œ ‹ • ¶Ω» ¤˘¥¸

„ Œ ¶ ¥	ƒ‹¶O	† ˘ø
/@"ß† B—	200 /„/›	„O20 / ~ ¡A‡Ω / ˜`¥[ƒ‹ 100 /„¡C
/@"ß" ^—¡BDEPT	600 /„/ fi	/ £ ¤ ‹ ¥ b / p fi ¶¥b/pfi ›p¶O
Decoupled¡BNOE	250 /„/peak	
/ G " ß ˘^GQSY¡B NOESY¡BHMBC¡B HMQC ¥	600 /„/ fi	/ £ ¤ ‹ ¥ b / p fi ¶¥b/pfi ›p¶O
¯ • „Œ¯	100 /„/› 300 /„/ fi	†B^—/S¯ • „Œ(ufi ¶ ¡ / S„)ƒ¤ "¶fi ¶¡„ Œ
3D	1000 /„/ fi	ƒ ƒ processing „ ˜—
„]„ Œ	« e zƒ¶O/S/@¥b	