ƒ ‹ F | Œ fi a ‹ · ' e › ß • | , §U–M^D‹ ª

¡ ¡ ¡

/ œ¯ Ł ´ H ...u fl S ' ° „ / œfi ¶¸ ´/§‹ª¤s

The effect of viscoelastic characteristics of pulp on the mechanisms of dental trauma

› p e ‰,N‰G 90-2314-B-038-038

ı ƒ ` ›9Ó¡ƒG~8 ⁄ °1 ⁄ Ø 91 ƒ~7 ⁄ °31 ⁄ Ø

¥ D « ø ⁄ H Ç¶ »»»Ó ¥ _ ´ · ⁄ j ´ ¤˘S ‡N ·¤t

ƒ P¥ D « øH‰¡G ‡ · › » O ¥ _ ´ ·⁄⁄ƒ · ˜_´ • ·‹ ª ¤'

› pe »P⁄H›ß¡G‰ı»¤· I » O ¥ _ ´ ·⁄⁄ƒ · ˜_´ • ·‹ ª ¤'

´ ¯ ⁄` » O ¥ _ ´ ·⁄⁄ƒ · ˜_´ • ·‹ ª ¤'

⁄ @ ¡ B ⁄ ⁄ "K›n

¥»× ªs‹ O S Q ¥ ¸ ... · œ , K¶q·œ⁄»W^EƒP™⁄" ° Å⁄ƒÓ¶Fq⁄£ƒP ‹ ""† ´· ƒ ª ¯ Ø † " c ™"– ¥S¶æq A¤ê ¨¥N⁄»P¥° " ‡⁄ˇ †Cfb⁄ f˜´ ·» " " ⁄ R ‡¥¸ " Å‡›⁄ , fl ⁄ " R " " ...›¨p." «‹ª¥S¡A⁄ W¥ « è ƒw‡ S ¸ƒ‡⁄ , fl ⁄ ƒ˘R M⁄œ fl S ' ° „ ⁄ W ^ E ⁄ ⁄ ` ƒ ¤ ¤ fi ¶¸⁄Ó¶Kfª s¡Aƒ †⁄Θ ¤⁄R ·⁄ "Rƒ h †‡]œ ⁄j⁄p»P⁄ ¥ ‹ " " ... v ¯ T ¡ C ¤ ^ S¶i⁄@ƒ¤B…u' Q…Ø¡Å Œ»⁄ W ⁄ œƒS"fi˘fl S°‹ ⁄ O " " ⁄ Ł ƒ V „ ⁄ œƒ»P_' ı"ƒS¤S¤ ⁄@´H..u' ° Ø¡Å ƒ„– N œ ƒ † ‡ ¸ !..u˚ Ø⁄S ´ ¡C ... ¥ ⁄ £ † ƒX‰lu„Œ—‰yƒ¤„B" » fit »P †" G »SƒC

ƒ ƒ„¥»× ªs⁄ ‹ ... " Aœ⁄¸ƒ‡›⁄ fl " k ¤ ‡¡¥C⁄ £ ¶ q · œ ⁄ œ ƒ ™ †"c" ¥S «Y... ˘ Å¤^ · Q ⁄ œƒ⁄"†"¢O¶ ⁄⁄–¡S ¸»P ¶ · ⁄Łƒ¡¡C

Abstract

In this study, modal testing technique was carried out to measure the damping characteristics of upper central incisors. The measured data were used as a parameter for dynamic finite element analysis. The effects of the damping ratio on the stress distributions of tooth subjected to impact force were assessed. The mechanisms of the initiation and propagation of the fracture crack were discussed.

Keywords: dentotrauma, viscosity, finite element method

⁄T¡B‰ fi˘»P⁄ Łk

... "A„Œ⁄ ¶if ‹ O¿ œ¥¥× _ ´ · ⁄j · ⁄œ´ · ¤t›ƒ~fl¯⁄¸⁄ f ˜_´ • ·‹ ª ¤' · ¥˝ƒ@15 ƒW »P¤ œ¡Ag„ Ł ¤B ‹d¡ A ¤·œ " ⁄ ‰œ'P" ‹ " ¤}¡ƒÅ¤Sƒ ‡œ¯ i Ø¢'ƒ¸.. ' ‡¥¢¡S ¡C¤œ¤ ⁄ ŴE¥¿⁄"ø⁄œ(n=30) ... " A œ, ‰Ø⁄Łƒ ‹ S ¸‰˜ »" $@¥¸ ⁄ @O' « · œ ⁄ œW¥¡A@• L⁄p› W ‡ SJ›• ´^ ¤ œT„„(„ˇ⁄@)¡C



„¯⁄@ ¥»× ªs⁄ S œ ƒ H¢' ° ¶·œt¸

T„„g„LS ‡ t ‡¥´,·×ƒ¤ W „ˇ «Æ¡A¥ W†v¯ T ‡"„ Œ¡„ˇ⁄ˇƒ ⁄I¡B Œ‡¡„ˇ


Frequency (Hz)
Real
(a)
Frequency (Hz)
Image
(b)


時間





β	Eqv-S (MPa)	Time (ms)
0.0034	11.3	3.40
0.00034	23.2	2.36
0.000034	24.0	2.05
0.0000034	24.6	2.00
Rayleigh	26.7	--

Lowet G, Audekercke V, Perre VD, Geusens P, Dequeker J and Lammens J. The relation between resonant frequencies and torsional stiffness of long bones *in*

vitro validation of a simple beam model. J Biomech 1993; 26: 689-696

(2) Watts D C. Elastic moduli and visco-elastic relaxation. J Dent 1994;22:154-158

(3) Petyt M. Introduction to finite element vibration analysis. Cambridge University Press UK. 1990; 387-389

(4) Rao SS. Mechanical vibrations. 2nd Ed. Addison-Wesley Inc. NY. 1990: 26-37

(5) Lee SY, Huang HM and Lin CY. In vivo and in vitro natural frequency analysis of periodontal conditions, an innovative method. J Periodontol 2000;71:632-640

(6) Chapman PJ. Concussion in contact sports and importance of mouthguards in protection. Aust J Sci Med Sport 1985; 17: 25-28