ƒ ‹ F | Œ fi a ‹ ˙ ' e › ß • | , §U–M^D‹ ª

¡ ¡ ¡

The outlook and interaction of clinical ethics and physician-patient relationship in the new century

› p e ‰,NSÇG89–2416–H–038–005–
ı ƒ ˙ ›89¡£~8⁄°1⁄Ø 90ƒ~7⁄°31⁄Ø

¥ D « ø ⁄ H Ç¿o× O¤¥ _ ´ ·⁄j´ ¨ ”†z ·¤t
ƒ @ ƒ P ¥ D « ø H¡G•Ø›¥»˚´ · ⁄ j ´ ¨” †z ·¤t
› p e » P ⁄ H ß þ£ÜL¥ _“´ · ⁄ j·¯@†z ·¤t
† fl ‰ » O ¥ _ ´ · ⁄ j ´ ¨” †z ·¤t
` Ø K“K» O ¥ _ ´ · ⁄ j · ´ ‹ª¤s' ´ ¨” †z†

/ @¡ B/ /”K›n

¥»× ªsƒ fib– ·Q21¥ @ ‹ ` {Ş ·› †z'M´ flf ˆ « Y ¥ i fl ¥ X † { “ ” ₹ˆ¡DC-M¥‰¤†“”″Œ˚- ƒ ‹ ¶ Œfi˜ ŞA´ ·› †z¥ Mx¥_ƒ a ˇ“” ¯ @H¡B ' v —‹⁄¸“ k ⁄H⁄h 1282 ⁄H‹ ‹ ªs„ ¶H¡Aƒ fi˜ ¤ 558¥ ¡Aƒ † fiƒƒ‹†v43.5%;ƒ ´ fl f ˆ ¥¥HWxa ˇ “”´ ¯ @H›ƒ |flf⁄H 1920 ⁄H‹ ‹ ªs„ ¶H¡Aƒ fi˜ ¤ 1601¥ ¡Aƒ † fiƒƒ‹†v83.4%¡C

†“ Go†{:1.fb` $ ´ ·› †z“ ” ₹ˆDW¡A⁄ yg ¥ “ R” „ ' ‡ '·M⁄H¯ Ø Œ¯“”‹ “k⁄ WŞ˜ †°,ß ŞC¡AŞ¡« øP•N“”″ Æ ¡Aƒ ƒbƒ w …ƒ¸″B¥N†z¥ ¥ “”‹ “k⁄ W « h ‹ Ø¶ƒP•NŞP«j‹ ƒP• N ⁄ ¶¡ƒ¡B‰ ›s⁄H“” ‹ “k⁄W¡A⁄T† Ş ‹Ø«ø⁄£ƒP•N“”″ A «¡F¥ ƒ w …ƒ¸″B ¥N†z¥ ¥ 'M‰ ›s⁄Hk O21¥ @ ‹ ` {Ş ·› †z“”› «n ˜ † Đ¡Cƒb´ fl f ˆ«Y Þ–¡A• P ¤¤flf⁄Hƒ ¥D¯v¡B´ fi v M•fi⁄O¡B• †q»P—¤|¡Bƒ Þz⁄ ¡B«ø˜ ' 'M“A ¨ ” Æ “”´ fl f ˆ«Y O ¶'ƒP•N»P« Þ 'ƒP• N Ş¶¡Aƒ „ … Wi´ fl f ˆ «Y›“‰n'‹ O ¶'› «n»P« Þ › «n⁄Ş ¶¡¡A¯ ¥ ƒ „»ˆ ˜ ₹Dx O21¥ @ ´ fl f ˆ«Y”› «n˜† ˆ ÞC

ˆ ` ¡G` $ ´ ·› †z¡B´ fl f ˆ«Y

Abstract

The purposes of this study are to: explore and prophesize the potential development of clinical ethics; explore the possible twists and turns of physician-patient relationship in the future; investigate the relationship between clinical ethics and physician-patient relationship. The target research population of clinical ethics was set at the three groups of people from medical, religious and legal professions in Taipei area; whereas the research sample of physician-patient relationship study was taken from medical professionals and hospital inpatients.

The major findings of the study are as follows.

(1). On issues that have been legalized, such as organ transplantation and human experiment, professionals from all three sectors tend to agree. The opinions scattered on the euthanasia and surrogate mother issues between “totally disagree” and “reluctantly agree”. In the area of human cloning all three sectors disagree.

(2). In the physician-patient relationship part, the issues of patient autonomy, physicians’ competence , communication and education, empathy, continuity, and attitude are ranked as the most important ones in promoting physician patient relationship.

Key words:
clinical ethics, physician-patient relationship

/ G¡ B‰t ¥›P¥ “”

„ L ¥ h ⁄ T ⁄ Q ƒ ~ ¶ ¡ ´ · ‹ Ş“”Ş †tƒ¤“Ł¡Afi L … ˘ ¥ ˝ ' R ¡ A ⁄] – a ¤ ‰ ƒ h s“”› †z˜†ˆD'MŞx ƒ p ¡ G ‰ ˘ » s H¡¥B¥N†zB¥¥ „ ' x † · Bƒw… ƒ”⁄¸⁄H¯Ø „ Œ .. ¥ ˜ † ˆ D ¡ C † o ¤ · • s “ ” › ‡˜†ˆD–a¤ “” » “ • | ‹ J ƒ s “ ” › † z » ø › ¨ » ¥˝'R“”† fifi¡A¤` ¤ ¤ « e ' ¥ … ƒ † “ ” ‹ D ¡Aƒ ˆŁ¥HŞ ¡C „ L ¥ h ´ · › † z – j ‰ ´ “»}‹ø¡B–M•~´Ş» ¨ ‰ “ ” › † z ˘ [´ I ¡ A ¥ u › n Ø ° fl´¥¿„ flf⁄H ¥ i ¡ A ⁄ £ ¥ † ƒ … { « Æ “ G ¥ i fl ¥ƒ¤“”…v¯T¡Cƒ †{ Ł ¡ B ¤ ¤ ⁄ H ¯ v „ B ° ⁄ ¸ ´ ‡Œ•‰“”ƒ†››'°¡A ⁄ H “ ” ¯ v fl q ¥ ~ ¡ A » ƒ … { ¤ “ •|†d¥ ¡B,g fi˜ ¥ … h › – ¡ A ¥ ƒ ‹ † “ G “ ” fiflq¤ › †zŞP´_ ¡i1–2¡ j ¡ C „ † { ¶ ¥ ‹ q “ ” ´ · ›†zƒ†…v¯T¡H´´ƒ † z † W‰ ¢B–ƒ «h ‰ ¡ B ⁄ £ ¶ ¸ fi ' ¡ Bƒ¥B¡j¡A‰¥›› «h¡i ƒ b • s “ ” ₹‹⁄ £ fl A ¥ ¸ ¡ A¨–o–· Q¡C H fi ¥N 'M ´ Ł „ “Ş ¯ ¡A⁄H» ⁄‹ ⁄ ⁄ ¥ \ Ş Q « … Ø ¤ œ ¥ N ⁄ F ¶ · † ¸ “ ″H–¡¡B„D, q¡B› ´ Ł † v ” ¥ ‹ V ⁄ W Ş Q “ ” ƒ – ¶A´ flfˆ «Y“”«H ⁄] ” C ” C ¯ ⁄ F ‰ Ł ¡ A ¥ [⁄ W fl f ⁄ N ˆ ⁄ •·“”·£ ' • N ˆ ¡ B fl f ⁄ H “ ” ¯ v fl q ' M ´ ‡ ¥D¯v¤ ¤ ›« ‡ † † „ ´ Ł “ A ¨ “ ” · ` « ⁄ ] • U •U “¡C´ flf⁄Ş “ Ł · ` „ ¥ » P Ş “ Ş “ ” ˆ « Y ¡ A]ƒ ´ Ł“¨fl †´ fl f ˆ « Y ⁄ Ø fl q · c ⁄ ˘ ¡ A † “ ‡†ˆ fiŁ«O“k L„I “ Ş ˜ † Ş Y ‹ O † ƒ n “ ” ˆ ' œC´ sflf ˆ«D¥Y…C' ',–i † †Ş” ¡ A ƒ b • s “ ” ₹‹ƒ ¤ «A¶fi´ fl f ˆ «Y“”'M ¿ A†f¥B› † z ˘ [“ ” Ş ¯ „ ‹´ “flkCOS_ƒY.†V ¯ T¸A†f‹ O £–o ƒb 21¥ @ “ ·N›m¶]l« ƒ “ ” ˆD¡C ƒ]ƒ„¡A¥ » ‹ ª ¤ s Ş ˘ – fl ƒ„Aªfl›G⁄Q⁄@ ¥ @ ‹ , `¡Ş´ · › † z ⁄ ¸ ´ flf¥X†‹(¥¥¥ifl •| ˜ † D'M¯ ¡ ¥H¤£´ ‹ ¶ i ⁄ @ B`Ąƒ ¶††y A• “ ” ´ · › † z ¡ B † ₹Wd¶i´ Łffl‹f ¡A¥W” ' M ¿¡C ¥ » ª¤s Ş ₹›n “ ” ƒ¡G– ·Q` $ ´ › †z 21¥ @ ‹ ¥i¥X† { “ ” ₹ˆDC¯M¡E2.– · Q ´ ffl ˆ «Y¥…

¤ ƒ ‡ › ¤ ˙ › « › n " " ˜ ‡D3'.M¥ifT R"'{S ⁄ ˜ ˙ ›†'zM´ fl f "«Y ^'°

/ T ¡ B § fi›P/Ł"k

¥ » ª¤s‹ ` { § ´ ˙»P´†z fl f ¤«Y ƒ‡¡ ¥ ¡A` { § ´ ˙¥›H†¥ x ¥ƒª"´˜ ¯ @ ⁄ H › ß B'v—— ⁄ Hh(ƒ — — " k fi v ¡ B • ——"M"fi¥D B¶H«„D⁄H ⁄ ¡ B › h¡B› ⁄ k k ‹ ⁄H‹h fi v ¡ B " k x¡B 'M"k ˙— →ß)‹ ‹ ª ¤ ¶H¡fl f ¥«Y H ƒ ‹ F|‰^¥˝ , p ß †ƒ"Xfi ˙ ⁄ ⁄ B ˜ | ⁄ ¸ ª ˘— | ⁄§´ ¯ @ H ›BMƒ |flf⁄ H ‹ ‹ ª ¤„ ¶H¡C

‹ ª ¤ su«Yfi › †z˜ ‡D ¸´ fl f «Y m̃‹d ^ , Œ fi ˘ ⁄ ¸ ‹ ª ¤ S ¥" "K¢' ‰s»s ‹ ⁄T ‡ ¡ ¥ ¡ A † ˜@˙‡ ¡{¥§‹ ´ ¶›q†z A § t A¡G „ ' x †·(1–9 ^D)¡ B ƒ w (10–26 ^D)¡ B ⁄ H ⁄u ¥· ¡i¥N †z¥ ¥ (27–43 ^D)» P ‰ »s(44–49 ^D)¡ j ⁄ ¸ H¯Ø„Œ ¯ (50–64 ^D) ¥˜ ‡D¡ A@ 64 ^D¡C† ˜ ⁄ G ‡¥´ flf ^ «Y¶ q " ¥] A fi›f H¡Gƒ ¥D(1–8 ^D)¡B´ fi vM •~fl ⁄O(9–16 ^D)¡ B • ‡ ¤P(17–30 ^D)¡ BP†z ⁄ (31–36 ^D)¡ B ¤˜'°(37–44 ^D)'M" A "A« (45–49 ^D)ƒ@ 49 ^D¡ A † ˜ ⁄ T ‡ ¡ ¥‹"¤ , ¥˜ '°¡C ¤–Likert Scale 5´ Ip⁄ " k ¡ A ¥ ¡u«D–' ƒ P • N B«D–«hƒ « D – ' ⁄ £ ƒ PN¡ B«D ⁄ ⁄ £ § O „⁄5 ƒ 1⁄ ¡ C ⁄ u ¤ ª fi ˜ « – ˜ – Mafi˜« Cronbach's alpha¡F` { § ´ ˙ƒU¶†q ""Cronbach's alpha ›¨‹ 0.7057–0.9077¡F´ fl f «Y ¶ q ""Cronbach's alpha ›¨‹ 0.9839¡C

, fi˘ƒ ‹ ¶ ⁄Ø· ¥ ` Œ ⁄ E Qƒƒ¥|›°¡Cƒ ƒ‹ , Œ fi¥H yz'°† ¸› p ¸– ‰ '°† ¸› p§ Kruskal–Wallis¡B Mann–Whithey U¡B Pair–t ⁄ ¸ANOVA ¤ ⁄ "R¡C

¥|¡B ¶G›P Q%G

(⁄@)` { § ´ › †z" " ‡^D

ƒb „ ' x "'‹ "k⁄W¡ AT† ` ' ¥§¡ §oƒb4 ¥H⁄W¡A⁄ ¶ ƒ PN'M‹ D – ' ƒ•¶¡¡§, g ƒflS¥§ ¯ ¡A o ‡ ƒ u ƒ " «¥ e ¿ ¤ ª „ 'fx ‰ ^¥pA ‡ ¤• ¤ •N˜ @Iƒ „ 'fx ‰ ¡v¥~¡A´ ¯ @ ⁄ H › ß » P v—— ‹ ⁄ H h¤⁄ ¤ßƒ‡¯ ª fit¡ ¥H´ ¯ @ H ›4.32‹ ‡ "¡A¥ fl ‹ ⁄]´ ¯ @ ⁄ H ßƒ‡¯ ˙" ^ ¥›t ‡"dflf –w¡ A ' –˘⁄H, q ¨ƒ «ø‡ ƒ PN"" A «¡C ⁄ ¡u⁄ t „x"" u ¥ ƒ, § Aƒfl ¤ ‹F"v¡ B„¥ I „ ‹ Y ¸¯Ø •R"" … v̄T¡ v B¡fi ‰ "" „x ‡ ´ ˙'M§ K ˙"" … •¡ A „⁄‡ Aƒ X †·"flf⁄H¡v§ ƒb4.45 ¥H⁄W¡A¯ª ¥ „x⁄ t … •¥H‡ ¥» H˜fl q^›«¡A»P Ubel.P.A¡B Loewenstein.G "'‹ ª ¤ "G‹ §kƒ X¡i4¡ jC ¡uƒ"ƒ ¥˙ „xfi ‰ ¡v'M¡u¥"« e ¤ ^ Lœ„¯ª ⁄ "fx‰ ^ " Aƒ«¥ ¿ ¸˜ ¥ N ‹ ƒ P•N¡v–o⁄ ‹ 3.22–3.71¡A⁄ ¶ '«j ƒ PN¡A ‹ O ƒ 'Lk' ‰T– ´_ ƒ " "¥«e•N˜ @ ‹ O §¥ƒ ¯ @ fi^ „ x¡Ab⁄£˜ @ H ›I flf⁄ H ¥•N ƒ ⁄£^ ƒ¤¡C

ƒbƒ w …ƒ"'‹ "k⁄W⁄T† ` ' ¥§¡ ¥H´ ¯ @H ›ß3.51‹ ‡ "¡F' v – – ‹ ⁄2.94‹ ‡ §C¡A⁄ ¶ '«j ƒ PN'M⁄ £ ƒ PN¶§C¤ ⁄ ¡Aƒ‡^ ¿ n¥ƒ w …ƒ"B¥"'R ¯ v ƒ"'¯v"'‹ "k¥ › §–o‹ 3.77–2.08¡A, g ·ƒ

fi¡ ¥§Uƒ ¯ ¡A ¢{' v – – H⁄h ' v –«¥ ı ¥ ‡ ‡ »{ ƒ ¥˝' RCfl«, t⁄£¥i¥H' æ "'¡A⁄ ¤§ƒ‡… ¶ ƒ"⁄ ¯v§Q "'" [¡A‹ ¢ ⁄£^ ƒ¤ƒ w …ƒ»P"k‹ ⁄ H h¡B¯ @ H ›ß ¤ ¤ ⁄ æßƒ‡¯ ª fit¡ §A ¥H„"'‹ ª ¤ ¶ GpƒP ¡i5–6¡ j¡Cƒ ƒb¥‰·`' ¸^xƒ"flf⁄H o¥˝' §l¡ B , ı– ⁄ fi ¡A‹ O §‹ƒ « –˘?⁄ ¶¡⁄ ⁄ H ƒ PN‹ »·flf⁄H h ›W¡Aflf⁄ H ¸¤ fi ã ‡ƒ‡¯v' ·‹ Iƒ ⁄ " ˝ · _d¥N§¡ ⁄ ¯o⁄ ‹ 4.37–3.78¡ AH´ ¯ @ H ›ß ^ƒ¤ £'‹ Iƒ « ¯¡A,ß⁄ Rfi"'‹ ª ¤ "G¡Gƒ‡48%"'⁄H^ ƒ¤¥‰·`flf ⁄Hƒb`{† fi ⁄£¥ ‹ –˘¡A' œªƒa…W¥[¡i6¡ jCƒb„w¥ ´ ¯æ" ¥iƒ '°¥ › §–o‹ 4.06–3.54¡A¯ ¥ ⁄ ¶¡⁄ ⁄ H ƒ•20•‡¥H⁄W¤ ª ƒ‹fl ⁄O"'ƒ¤⁄Hƒ ¥ ›fi ·N¥i¥H ‹ ƒ ⁄v¡u„w¥ ⁄£‹ Iƒ ⁄ " ˝ · _d¥N @fi ¡ v ¸¡„w¥ ´ ł ¢¥¥N†z⁄H' e ¥fi¡ ¥C

ƒb¥N†z¥ ¥ ¥ ‹ ⁄"W¡ AT† ` ' ¥§¡ ¥oH ¥‹ ⁄Hh3.25‹ ‡ "¡ A ' v – ← 2.62h ‡ §C¡A⁄ ¶ '«j ƒ•NM⁄ £ ƒ PN¶§C¤ ⁄ ¡Aƒb¥N†z¥ ¥ ‹ O § ƒX "k⁄˘¥ › §–o‹ 2.89–2.46¡A¯ ¥ ƒ‡¥ b˘"'⁄ H£^ ƒ¤»P⁄ ⁄ ¥H"'‹ ¤s§kƒ X¡i7¡ jCƒb ⁄k¤›¯ Ø ƒ¥D ¯v"'¤ ¥ ¸¡ A ⁄ j ‡¥»{‹H¥N†z¥ ¥ ›Yƒ¤‹ • ƒ ‹ ¡A N ‡ƒ¤" • |⁄Wƒ‡¿œ"'⁄ H ‡ h ª ⁄k"', g – „ ¡A¤˘¤ ¥Xfl ‡lfic¡F¥B⁄ £ ƒ P N⁄k"⁄Hfic˜ ' ƒ ⁄v ƒ‡¡A ‡¥i¥H¿ ƒ p ƒ ¤˘¥A ¥¥u ¥Xfl † łfipA · £ ¤‡ ¥H·«–o" ¿ ‡ł„ ¥D^ „D…w¡C, g · flS¥§ Uƒ A«H«¡A –õ ƒ¥N†z¥ ¥ ¥ ƒX"k M ⁄k¤›¯Ø flicƒ ¥ D v ¥C^D¡A £^D40¡u¥N†z¥ ¥ ¤ « ¯ ⁄k'°⁄ l fi¯ ƒ¤⁄ u ¤¡A⁄ kH‡ Q«⁄˘¡A¶§C⁄F⁄ kH"'· LY¡v¥~¡A ‹ ¥ H " k ‹ ⁄H"⁄ho⁄ ‡ "¥BU† ¤ ¤ ⁄ æßƒ‡¯ ª fi ‡§¡C

ƒb‰ »s⁄H"'‹ "k⁄W¡ AH´ ¯ @ H ›ß ' ¥ §¡ ⁄o 2.14‹ ‡ "¡ A ' v – ← łh58H‹ ‡ §C¡A⁄ ¶ ⁄ ƒP •N'M‹ D – ' ⁄ ƒP¶N¡C§ª M⁄ ¶¡⁄ ⁄H»{‹ ‰ »s"H ‹ § ‹O⁄ ƒ M"'¥˝† £ Łƒ¡A‹ fi ⁄H'°· LY¡ A „¥"R ¤ªƒ‡•¥⁄j› •I ‡, ,T⁄ ¡ AP 1997 ƒ~fi ¥N´ ¥x'M‹ Œƒ‡‰ u s»D"‰ ‹ d†"G¡A74%"'⁄H»{‹ ‰ »s„H˘ ⁄W‹ ƒfi•Nƒ‡‹ ƒ "" †‰ ¡i8¡ jCƒ ƒ‡23.9%"'⁄H»{‹ ‰ »s‹ § ⁄£• ‡yƒ¤¤ ' ° ^«YM‡ ¿ ¸fiafix"'› †z ^D¡A‹ ¤ flefl f"v łS ‡N· Ł@¡A ‡⁄ ' X"k˘¡F»Pfl ¸⁄ ¡i9¡ j"'‹ ª ¤ ¾ ⁄ £ ƒ¡A fl ‹ ⁄]fl ¸⁄ –˜¤œ⁄ ˜m– · Q Łƒ¤ ⁄ "R¡ Aƒfl fl ¥¿¥ N Œ⁄"⁄ Hh"'‹ ¥¡Cg · flS¥§ ¯ ¡A ¢{' v – – H⁄h ⁄ H ^ ¥˝‹· ØW « ' ¥D ¡A»{‹ ‰ »s"H § ¶§"R¥»ƒ‡»ø›¨ 'M⁄ H · LY¡A‡£«ø… ƒV¥ H ' ⁄˘„ ¥ ‡ı¡i10¡ j A»P ´ ¯ @ H ›BM" k ‹ ⁄H"k "kƒ‡¯ ª fit¡ §

ƒb⁄ H ¯ ØŒ"'‹ "k⁄W¡ AT† ` ' ¥§¡ §oƒb 4.21 ¥H⁄W¡A‹ O ¶'« D – ƒP•NƒP N⁄¶¡¡F¥H´ ¯ @H ›ß4.41‹ ‡ "¡ A ' v –⁄4.21‹ ‡ §C¡C, g ·flS ¥§U ƒ ¯ ¡A o ‡ ¡ƒu⁄£¥i ‡¥ ¸ " œ‡¡A,S » • ¤˘ ⁄H– ¤ ⁄ H ¯ ØŒ C•‡¥H⁄W⁄§« ˜l¥ »H' ·– ¤ ⁄H ¯ Ø Œ¯'M ¢{⁄ H ¯ Ø Œ¯• ¡A¶fi¤ ,"'" •d' ¸¥˝ 'Rfi ¡A ‡, ¥ ¤Ł ⁄ ¡ ⁄T^ D"‹ "k¥~¡A§¡ƒ‡¯ ª fit †§¡C

(⁄G)´ fl f «Y

6^ ¡]flf⁄ H ƒ ¥¯ ⁄ ƒ¡Bv M•fl ⁄ O ¡ B • ‡q»P—— ¤ | BƒPz⁄ ¡ Rø"°'M" A "A¡‹49^D´ fl f «Y¡A

[illegible]

[illegible]

[illegible]

[illegible]

1. [illegible] (1999) [illegible]
2. [illegible] (1995) [illegible]
3. Beauchamp ,T.L & Childress, J.F. (1983). Principle of biomedical ethics . N.Y.: Oxford University Press.
4. Ubel, P.A., & Loewenstein, G. (1996). Distribiting scare livers: The moral resasoning of the general public. Social Science and Medicine, 42(7):1049-1055.
5. [illegible] (1999) [illegible]
6. [illegible] (1987) [illegible]
7. [illegible] (1998) [illegible]
8. Kluger, J. (1997). Will we follow the sheep [illegible] Time, March 10, 37-40.
9. [illegible] (2000) [illegible]
10. [illegible] (1999) [illegible]
11. [illegible] (1989) [illegible]
12. [illegible] (1996) [illegible]
13. [illegible] (1997) [illegible]
14. [illegible] (1999) [illegible]
15. Delbanco, T.L. (1992). Enriching the doctor-patient relationship by inviting the patient's perspective. Annals of internal medicine, 116(5),414-418.
16. Kulich, K.R., Ryden, O., Bengtsson. H. (1998). A descriptive study of how dentists view their profession and the doctor-patient relationship. Acta Odontol Scand, 56:206-209.
17. Matthews, D.A., Sledge, W.H., Lieberman, P.B. (1987). Evaluation of intern performance by medical inpatient. The American Journal of Medicine, 83:938-944.