› p e 89-2314-B-038-052
ı f 08 01 91 f 07 31

**Abstract**

When inspecting a periodontal disease, various types of apparatus for measuring of tooth mobility have been proposed. However, these types of devices and methodologies are insufficient in terms of reliability. To assess the periodontal attachment level of natural teeth, an innovative, non-destructive and time saving method, using vibrating theories , was presented in this study. There was a linear relationship between the frequency and the attachment level. The resonance frequencies of teeth decreased with the lowering of the attachment level. These findings suggested that resonance frequency method may be a useful, auxiliary clinical tool in diagnosis of periodontal diseases.

**Keywords**: Periodontal disease, Vibrational analysis, finite element

## / T ¡ B §  fi›P/Ł“k

## ¥ i B  fG›P Ø

29–30¡A • – d ´ ł ¤¥X"'"
2. Schwartz, et al. Clinical Guide to Periodontics, 96-97,1995,W.B.Saunders CO.,US.
3. Saglie R, Johansen JR, Flotra L. The zone of completely and partially destructed periodontal fibers in pathological pockets. J Clin Periodontol, 2: 198-202, 1975.
4. Armitage GC, Svanberg GK, Löe H. Microscopic evaluation of clinical measurements of connective tissue attachment level. J Clin Periodontol, 4:173-190, 1977.
5. Robinson PJ, Vitek RM. The relationship between gingival inflammation and resistance to probe penetration. J Periodont Res, 14: 239-243, 1979.
6. Polson AM, Caton JG, Yeaple RN, Zander HA. Histological determination of probe tip penetration into gingival sulcus of humans using an electronic pressure-sensitive probe. J Clin Periodontol, 7: 479-488, 1980.
7. Sundell S, Grondahl K, Grondahl HG. Accuracy and precision in the radiographic diagnosis of clinical instability in brånemark dental implants.J Clin Oral Implants Res 1995;11:179-185.
8. Listgarten MA. Periodontal probing: What does it mean? J Clin Periodontol, 7: 165-176, 1980.
9. Muhlemann HR. Periodontometry, a method for measuring tooth mobility. Oral Surg Oral Med Oral Path, 4: 1220-1233, 1951.
10. Derhami K, Wolfaardt JF, Dent M, Faulkner G, Grace M. Assessment of the periotest device in baseline mobility measurement of craniofacial implant.Int J Oral Maxillofacial Implants 1995;10:221-229
11. Thomson WT. Normal mode vibration of continuous systems. In "Theory of Vibration with Applications". 3rd ed, Thomson WT ed, Prentice-Hall, NY. pp. 221-224, 1988.
12. Lewis JL. A dynamic modal of a healing fractured long bone. J Biomech 1975;8:17-25

13. Lowet G. The relation between resonance frequencies and torsional stiffness of long bones in vivo validation of a simple beam modal.J Biomech 1993;26:689-696
14. Lowet G, Dayuan X, Vander perre G. Study of the vibrational behavior of a healing tibia using finite element modeling. J Biomech, 29: 1003-1010, 1996.
15. Lee S-Y, Huang HM, Lin CY. *In vivo* and *in vitro* natural frequency analysis of periodontal conditions, an innovative method. J Periodontol, 74: 632-640, 2000
16. Huang H.M., Yeh C.Y., Pan L.C., Lee S.Y., Factors influencing the dynamic behavior of human teeth. Med Biol Eng Comput 2001 (In Press)
17. K.R.Willams and A.D.C.Willams. Impluse response of a dental implant in bone by numerical analysis. Biomaterial 18(10)715-719,1997.
18. M.M.Ash,Jr. Dental Anatomy, Physiology and Occlusion. 7th ed.W.B. Saunders CO.,USA.1993.
19. J. Linde.Textbook of Clinical Periodontology, 2nd ed,1995,Munksgard Copenhagen.
20. K.H. Rateitschak,H.F.Wolf,T.M. Hassell.Color Atlas of Dental Medicine.2nd ed,1989.Thieme Medical Dublishers, Inc., New York US.
21. F.A.Carranza, M.G.Newman.Clinial Periodontology.8th ed,1996. W.B. Saunders CO.,US.
22. Holmes D.C. &Loftus J.T. Influence of bone quality on stress distribution for endosseous implants. J of Oral Implantology 1997;23:104-111
23. Noyes DH, Solt CW. Relation between " tooth mobility" and "mechanical mobility" of teeth. J Periodontol, 43:301-303, 1972












# ƒ ‹ F | Œfi a ‹ ˙ ' e › ß • | , §U–M^D‹ª¤§

¡ ¡ ¡ 