



CORRIGENDUM

Corrigendum to “Research on Biomechanical Behavior of Three-dimensional Bilateral Temporomandibular Disorder Models”
[J Exp Clin Med 2013;5(1):17–21]



Duen-Jeng Wang ^{1,2}, Han-Yi Cheng ^{2,3}, Yung-Ning Pan ³, Keng-Liang Ou ^{2,4,5*}

¹ School of Dentistry, College of Oral Medicine, Taipei Medical University, Taipei 110, Taiwan

² Research Center for Biomedical Devices and Prototyping Production, Taipei Medical University, Taipei 110, Taiwan

³ Department of Mechanical Engineering, College of Engineering, National Taiwan University, Taipei, Taiwan

⁴ Research Center for Biomedical Implants and Microsurgery Devices, Taipei Medical University, Taipei, Taiwan

⁵ Graduate Institute of Biomedical Materials and Tissue Engineering, College of Oral Medicine, Taipei Medical University, Taipei, Taiwan

The authors regret that the name of an author was incorrectly spelt. “Duen-Jeng Wang” should be “Da-Yen Wang”. The authors would like to apologise for any inconvenience caused.

DOI of original article: <http://dx.doi.org/10.1016/j.jecm.2013.01.003>.

* Corresponding author. Keng-Liang Ou

E-mail: K.-L. Ou <klo@tmu.edu.tw>