

- haemostatic plug formation by trigramin, a novel RGD-peptide. *Am. J. Physiol.* 1989; **256**:H1038-1043.
34. Weller, T., Alig, L., Muller, M.H., Kouns, W.C., Steiner, B. Fibrinogen receptor antagonists - a novel class of promising antithrombotics. *Drugs Future.* 1994; **19**:461-476.
 35. Gartner, T.K., Bennett, J.S. The tetrapeptide analogue of cell attachment site of fibronectin inhibits platelet aggregation and fibrinogen binding to activated platelets. *J. Biol. Chem.* 1985; **269**:11891-11894.
 36. Collier, B.S. Antiplatelet agents in the prevention and therapy of thrombosis. *Ann. Rev. Med.* 1992; **43**:171-180.
 37. Collier, B.S. A new murine monoclonal antibody reports an activation-dependent change in the conformation nad/or microenvironment of the platelet glycoprotein IIb/IIIa complex. *J. Clin. Invest.* 1985; **76**:101-108.
 38. Huang, T.F., Liu, C.Z., Ouyang, C., Teng, C.M. Halysin, an antiplatelet Arg-Gly-Asp-containing snake venom peptide, as fibrinogen receptor antagonist. *Biochem. Pharmacol.* 1991; **42**:1209-1219.
 39. Liu, C.Z., Wang, Y.W., Shen, M.C., Huang, T.F. Analysis of human platelet glycoprotein IIb/IIIa by fluorescein isothiocyanate-conjugated disintegrins with flow cytometry. *Thromb. Haemostas.* 1994; **72**:919-925.
 40. The EPIC investigations. Use of a monoclonal antibody directed against the platelet glycoprotein IIb/IIIa receptor in high-risk coronary angioplasty. *N. Engl. J. Med.* 1994; **330**:956-961.
 41. Liu, C.Z., Hur, B.T., Huang, T.F. Measurement of glycoprotein IIb/IIIa blockade by flow cytometry with fluorescein isothiocyanate-conjugated crostavirin, a member of disintegrins. *Thromb. Haemostas.* 1996; **76**:585-591.
 42. Savage, B., Marzec, U.M., Chao, B.H., Harker, L.A., Maragnone, J.M., Ruggeri, Z.M. Binding of the snake venom-derived proteins applagin and echistatin to the arginine-glycine-aspartic acid recognition site(s) on platelet glycoprotein IIb/IIIa complex inhibits receptor function. *J. Biol. Chem.* 1990; **265**:11766-11772.
 43. Rucinski, B., Niewiarowski, S., Holt, J.C., Soszka, T., Knudsen, K.A. Batroxostatin, an Arg-Gly-Asp containing peptide from *Bothrops atrox*, a potent inhibitor of platelet aggregation and cell interaction with fibronectin. *Biochim. Biophys. Acta.* 1990; **1054**:257-262.
 44. Sheu, J.R., Lin, C.H., Chung, J.L., Teng, C.M., Huang, T.F. Triflavin, an Arg-Gly-Asp-containing antiplatelet peptide inhibits cell-substratum adhesion and melanoma cell-induced lung colonization. *Jpn. J. Cancer Res.* 1992; **83**:885-893.
 45. Scarborough, R.M., Rose, J.W., Naughton, M.A., Phillips, D.R., Nannizzi, L., Arfsten, A. Characterization of the integrin specificities of disintegrins isolated from American pit viper venoms. *J. Biol. Chem.* 1993; **268**:1058-1065.
 46. Sheu, J.R., Lin, C.H., Chuang, J.L., Teng, C.M., Huang, T.F. Triflavin, an Arg-Gly-Asp-containing snake venom peptide, inhibits aggregation of human platelets induced by human hepatoma cell line. *Thromb. Res.* 1992; **66**:679-691.
 47. Chiang, H.S., Swain, M.W., Huang, T.F. Characterization of platelet aggregation induced by human colon adenocarcinoma cells and its inhibition by snake venom peptides, trigramin and rhodostomin. *Br. J. Haematol.* 1994; **87**:325-331.
 48. Swain, M.W., Chiang, H.S., Huang, T.F. Characterization of platelet aggregation induced by PC-3 human prostate adenocarcinoma cells and inhibited by venom peptide, trigramin and rhodostomin. *Eur. J. Cancer.* 1996; **32**:715-721.
 49. Yang, C.H., Huang, T.F., Liu, K.R., Chen, M.S., Huang, T.P. Inhibition of retinal pigment epithelial cell-induced tractional retinal detachment by disintegrins, a group of Arg-Gly-Asp-containing peptides from viper venom. *Invest. Ophthalmol. Vis. Sci.* 1996; **37**:843-854.
 50. Tsai, T.J., Sheu, J.R., Chen, Y.M., Yen, C.J., Chen, C.F., Huang, T.F. Disintegrin modulates rat glomerular mesangial cell behavior. *Nephron.* 1995; **70**:83-90.
 51. Sheu, J.R., Yen, M.H., Hung, W.C., Lee, Y.M., Su, C.H., Huang, T.F. Triflavin inhibits platelet-induced vasoconstriction in de-endothelialized aorta. *Arterioscler. Thromb. Vasc. Biol.* 1997; **17**:3461-3468.
 52. Wesolowski, G., Duong, L.T., Lakkakorpi, P.T., Nagy, R.M., Tezuka, K., Tanaka, H., et al. Isolation and characterization of highly enriched, perfusion mouse osteoclastic cells. *Exp. Cell. Res.* 1995; **219**:679-686.
 53. Fisher, J.E., Caulfield, M.P., Sato, M., Quartuccio, H.A., Gould, R.J., Garsky, V.M., et al. Inhibition of osteoclastic bone resorption *in vivo* by echistatin, an "arginyl-glycyl-aspartyl" (RGD)-containing protein. *Endocrinol-*